



Product Information

Pin Dust Seals



Product Description

WSI Pin Dust Seals are designed for oscillating, swivel motion in the hinge pin or joint part to keep lubricant in, prevent dirt intrusion in the bushings and reduce inner wear. Specially designed lip of WSI Pin Dust Seal reduces the torque, lip wear and makes relief effect by rear-side greasing easily. The feature assures excellent sealing performance under severe dust conditions to improve the durability of the equipment and extend service life.



Features

- Effective barrier to dirt intrusion
- Excellent sealing performance to keep lubricant in
- Designed for oscillating, swivel motion
- Easy press-fit installation
- Long service life



Applications

Swivel joints on excavators, backhoes, skid steer loaders, bulldozers, wheel loaders, scissor lifts, construction equipment, articulating equipment and other similar applications.



Technical Information



Operating Conditions



Media: Grease/ Outer dust

Motion: Oscillation/ Swivel

Velocity: <120rpm

Temperature: -40~100

Pressure: <0.3 bar




Materials

Rubber: NBR, PU

Case:

JIS G3141 SPCC,

JIS G3141 SPCC with Zinc-Plating



WELL OIL SEAL INDUSTRIAL CO., LTD

ISO 9001 : 2008

Tel: +886-4-8651759

Fax: +886-4-8652883

Website: www.wsoilseal.com.tw

E-mail: sales@wsoilseal.com.tw